


/Zyxel Router Installation Guide

In the box checklist

You will find the following in the box.

Item	Item Description	Received
1	Red patch lead (to connect to single PC)	
2	ADSL router	
3	Black ADSL RJ11 cable	
4	Power supply	
5	Microfilter	



IMPORTANT – Ensure that the power button on the router is in the OFF position before installation commences

Basic ADSL installation guide

- 1 Connect one end of the red cable to the LAN10/100 port on the router and the other end to your PC.



- 2 Connect one end of the black RJ11 cable into the DSL port on the router.



- 3 Connect the other end of the black RJ11 cable to the microfilter.



- 4 If you are using a telephone, connect the telephone cable to the remaining port on the microfilter. Connect the microfilter to the telephone socket associated with the telephone number that you provided us for the DSL service.



- 5 Ensure that the power button on the router is in the OFF position. Connect the power supply to the router.



IMPORTANT – Do not press the re-set button on the ADSL router without first contacting Viatel. Ensure that the power button on the router is in the off position before installation commences.

- 6 Plug the power supply into the mains socket and turn on. Leave the router for 2 minutes to allow it to boot up.

You should see the following lights on the front panel when the router is ready for use.

- Solid green power
- Flashing green sys
- Orange 10M or 100M flashes on LAN activity
- Solid green DSL
- Flickering green ACT – this occurs when router is transmitting / receiving data

Now that your router is installed and running, please leave the power **on** at all times. This will ensure that the router can be proactively managed by Viatel.

Further assistance

Should you require further assistance, call the Viatel Support Team on 0800 980 2666 or email us at techsupport@viatel.com.

It is often good practice to power down the router, count to ten, and switch the router on again before calling Viatel Technical Support. This can sometimes restore the DSL service alone

IMPORTANT – Do not press the re-set button on the ADSL router without first contacting Viatel. Ensure that the power button on the router is in the off position before installation commences.